

3875 Embassy Parkway Fairlawn, OH 44333

(800) 828-4556 www.koroseal.com



The bark from Daphne Cannabina or Daphne Papyracea is the raw material used in making the Nepali rice paper that has been produced by craftsmen for over a thousand years. It is known for its exceptional durability and for its lively and special texture and is the namesake for our wallcovering design Daphne<sup>©</sup>. These characteristics also apply to the wallcovering, although ours has what looks to be a lacquer finish applied over the surface.

		US UNITS	METRIC UNITS	
Total Weight		21.0 oz PLY 14.0 oz PSY	651 g PLM 475 g PSM	
Roll Width		52/54 in.	132/137 cm	
Gauge		26 Mils	0.66 mm	
Fabric		Osnaburg		
Tensile (Minimum)		50 x 55 lb <sub>f</sub>	222 x 245 N	
Tear (Minimum)		25 x 25 lb <sub>f</sub>		
Federal Spec		CCC-W-408A, Type II		
WA Spec		WA-101, Type II		
Fire Testing		NFPA 101 <sup>®</sup> Life Safety Code <sup>®</sup> NFPA 255 (UL723, CAN S102M) Tunnel Test <sup>1</sup> Class A Rating NFPA 286 Corner Burn Test <sup>2</sup> Meets requirements for Flame Spread, Smoke Developed and Flashover		
Repeat	Vertical Horizontal Nominal Pattern Width Match Information	N/A N/A 51 in. Random Match, Revers	129 cm se Hang	
1 When applied to GRC Board with A-848-B adhesive		2 When applied to 5/8" type-X gypsum board with A-848-B adhesive		

## Available in 16 Colorways

DH21-98	Annapurna	DH21-96	Kosi
DH21-62	Bagmati	DH21-85	Lhotse
DH21-79	Bhasa	DH21-90	Lokta
DH21-10	Everest	DH21-59	Makalu
DH21-40	Gandaki	DH21-70	Narayani
DH21-02	Himalaya	DH21-51	Nepal
DH21-93	Karnali	DH21-35	Seti*
DH21-38	Kathmandu	DH21-30	Terai

<sup>\*</sup>These decorative metallic wallcoverings should only be cleaned with mild ingredients such as soap, detergent and water. Stronger, more alkaline household cleaners have the potential to damage the surface of the material along with excessive scrubbing.