

3875 Embassy Parkway, Suite 110
 Fairlawn, OH 44333
 330-678-7600 Phone
 330-668-7701 Fax



Declaration of Performance

Koroseal Interior Products, LLC
 7929 National Tpke Louisville, KY 40218

Trading As: **Koroseal, Vicrtex, Sanitas, RJF, Warner, and Option e**
 In compliance with Regulation 305/2011/EU of the European Parliament and the Council of 9 March 2011 (The Construction Products Regulation or CPR), we do hereby declare that the CE marked products specified in Table 1 conform to the product performance requirements of annex ZA in the product standard:

EN 15102:2007 +A1:2011

Decorative Wallcoverings - Roll and Panel Form

Table 1

| Construction Product Description: | Classification Report: | Reaction to Fire: | | | |
|--|--|-------------------|--------|-------|--|
| Fabric and Nonwoven backed vinyl wallcovering: 271 gm/m ² to 339 gm/m ² | WFRGENT Reaction to fire classification Nr 13171C | B s2 d0 | | | |
| Fabric and Nonwoven Backed vinyl wallcovering 651 gm/m ² – 744 gm/m ² | WFRGENT Reaction to fire classification Nr 138393C | B s2 d0 | | | |
| Fabric and Nonwoven Backed TPO wallcovering (Option e) 383 gm/m ² | WFRGENT Reaction to fire classification Nr 14262E | B s2 d0 | | | |
| Other requirements: | Release of Heavy metals and specific elements - Pass | | | | |
| Release of Formaldehyde – (< 120mg/Kg) | Heavy Metal | Specification | Vinyl | TPO | |
| Release of Vinyl Chloride Monomer – Pass (< 0.2mg/Kg) | Antimony | No upper limit | 1 | 2.3 | |
| Sound Absorption – No performance determined | Arsenic | < 25 mg/Kg | < 2 | <2 | |
| Thermal Resistance – No performance determined | Barium | < 500 mg/Kg | < 2 | 38 | |
| | Cadmium | < 25 mg/Kg | < 0.2 | <0.2 | |
| | Chromium | < 60 mg/Kg | < 1 | <1 | |
| | Mercury | < 20 mg/Kg | < 0.05 | <0.05 | |
| | Lead | < 90 mg/Kg | < 2 | <2 | |
| | Selenium | < 165 mg/Kg | < 2 | <2 | |
| | Test Report: TÜV Rheiland Report: 9904R-10.28608 | | | | |
| Intended Use: Hanging on to internal walls, or partitions, by means of adhesive for the primary purpose of decoration. | | | | | |
| Notified Certification Body: Laboratoire national de métrologie et d'essais Paris, France 75724 N° 0071-CPD-29051 Rev.2 | | | | | |

Signed: *Wally Yocum*
 Name: Wally Yocum

Position: Technical Manager
 Date: January 12, 2017