



| | | | |
|--|---|---|----------------------------------|
| 10 Colorways: | TP21-01 Headlands TP21-02 Cashmere TP21-03 Woolery TP21-04 Willow Bark TP21-05 Mulberry Land | TP21-06 Eastport TP21-07 Stonewashed TP21-08 Alpaca TP21-09 Soho TP21-10 Cape Cod | |
| Designer | Koroseal | | |
| Total Weight | 20.0 oz. ply (620 g. plm.) 13.3 oz. psy (451 g. psm.) | Vertical Repeat | 24 in. |
| Roll Width | 54-55 in. (137-140 cm.) | Horizontal Repeat | 53 in. |
| Backing | Non-Woven | Nominal Pattern Width | 51 in. |
| Tensile (Minimum) | 50 x 55 lb _f (222 x 245 N) | Match Information | Non-Reverse Hang, Straight Match |
| Tear (Minimum) | 25 x 25 lb _f (111 x 111 N) | WA Spec. | WA-101, Type II |
| Federal Spec. | CCC-W-408D, Type II | ASTM F-793 | Category V, Type II |
| Fire Testing | NFPA 101® Life Safety Code® | | |
| | NFPA 255 (ASTM E-84, CAN S102M) Tunnel Test ¹ - Class A Rating | | |
| | NFPA 286 Corner Burn Test ² - Meets requirements for Flame Spread, Smoke Developed, & Flashover | | |
| | 1 When applied to GRC board with A-848-B adhesive 2 When applied to 5/8" Type-X-Gypsum board with A-848-B adhesive | | |
| CE Certification | EU classification in accordance with EN 15102:2007 + A1:2011 | | |
| Indoor Air Quality | California 01350 – Meets emission requirements for schools and offices | | |
| For additional technical information please visit koroseal.com | | | |

3875 Embassy Parkway | Fairlawn, OH 44333 | 855.753.5474 | koroseal.com

Koroseal® is a registered trademark of Koroseal Interior Products, LLC.
NFPA 101® and Life Safety Code® are registered trademarks of National Fire Prevention Association.
©2024 Koroseal Interior Products, LLC.