



18 Colorways:	HT21-01 Modern	HT21-08 Mediterranean	HT21-14 Creole
	HT21-02 Castle	HT21-09 Townhouse	HT21-15 Revival
	HT21-03 Villa	HT21-10 Neoclassical	HT21-16 Skyscraper
	HT21-05 Craftsman	HT21-11 Boathouse	HT21-17 Treehouse*
	HT21-06 Highrise*	HT21-12 Empire	HT21-18 Brownstone*
	HT21-07 Chalet	HT21-13 Bungalow	HT21-19 Adobe
	*These decorative metallic wallcoverings should only be cleaned with mild ingredients such as soap, detergent, and water. Stronger, more alkaline household cleaners have the potential to damage the surface of the material along with excessive scrubbing.		
Total Weight	20 oz. ply (618 g. plm.) 13.3 oz. psy (451 g psm.)	Vertical Repeat	N/A
Roll Width	52-54 in. (132-137 cm.)	Horizontal Repeat	N/A
Backing	Woven (Osnaburg)	Nominal Pattern Width	51 in.
Tensile (Minimum)	50 x 55 lb <sub>f</sub> (222 x 245 N)	Match Information	Reverse Hang, Random Match
Tear (Minimum)	25 x 25 lb <sub>f</sub> (111 x 111 N)	WA Spec.	WA-101, Type II
Federal Spec.	CCC-W-408D, Type II	ASTM F-793	Category V, Type II
Fire Testing	NFPA 101® Life Safety Code®		
	NFPA 255 (ASTM E-84, CAN S102M) Tunnel Test <sup>1</sup>		
	- Class A Rating		
	- Flame Spread - 10		
CE Certification	- Smoke Developed - 5		
	NFPA 286 Corner Burn Test <sup>2</sup>		
	- Meets requirements for Flame Spread, Smoke Developed, & Flashover		
	1 When applied to GRC board with A-848-B adhesive    2 When applied to 5/8" Type-X-Gypsum board with A-848-B adhesive		
Indoor Air Quality	EU classification in accordance with EN 15102:2007 + A1:2011		
Indoor Air Quality	California 01350 – Meets emission requirements for schools and offices		

3875 Embassy Parkway | Fairlawn, OH 44333 | 855.753.5474 | [koroseal.com](http://koroseal.com)

Koroseal® is a registered trademark of Koroseal Interior Products, LLC.  
 NFPA 101® and Life Safety Code® are registered trademarks of National Fire Prevention Association.  
 ©2023 Koroseal Interior Products, LLC.