

3875 Embassy Parkway, Suite 110
Fairlawn, OH 44333
330-678-7600 Phone
330-668-7701 Fax



Declaration of Conformity

Koroseal Wall Protection Systems
716 Muncy Industrial Park
Muncy, PA 17756

Trading As: **walltalkers ez•rite®**, **nu•vu•rite**, **Matte•rite®**

In accordance with Directive 89/106 EEC, The Construction Products Directive, do hereby declare that the CE marked products specified in Table 1 conform to the product performance requirements of annex ZA in the product standard:

EN 15102 : 2007
Decorative Wallcoverings - Roll and Panel Form

Table 1

Construction Product Description:	Classification Report:	Reaction to Fire:
Nonwoven backed dry-erase presentation vinyl wallcovering: 410 gm/m ² to 525 gm/m ²	WFRGENT Reaction to fire classification Nr 14679E	B s2 d0
Other requirements:	Release of Heavy metals and specific elements - Pass	
Release of Formaldehyde – Pass (< 120mg/Kg)	Heavy Metal	Specification
Release of Vinyl Chloride Monomer – Pass (< 0.2mg/Kg)	Antimony	No upper limit
Sound Absorption – No performance determined	Arsenic	< 25 mg/Kg
Thermal Resistance – No performance determined	Barium	< 500 mg/Kg
	Cadmium	< 25 mg/Kg
	Chromium	< 60 mg/Kg
	Mercury	< 20 mg/Kg
	Lead	< 90 mg/Kg
	Selenium	< 165 mg/Kg
	Test Report: TÜV Rheiland Report: 9904R-10.28608	
Intended Use: Hanging on to internal walls, or partitions, by means of adhesive to create a dry-erase write on presentation surface,		
Notified Certification Body: Laboratoire national de métrologie et d'essais Paris, France 75724		
EC Reference Number: 0459		Manufacturing Site Reference: 0071-CPD-20376

Signed:

Position: Quality Manager

Name: William Rogers

Date: 1-7-11